

# BESTMANS®

*....We Oil The Wheels Of The World*



A Trusted Name in Lubrication Equipment



**SAYAL OVERSEAS**

CATALOGUE 2021

# CONTENT

*.... We Oil The Wheels Of The World*

ARTICLE	PAGE
<input type="checkbox"/> Grease Gun	<input type="checkbox"/> 3 -7
<input type="checkbox"/> Caulking Gun	<input type="checkbox"/> 7
<input type="checkbox"/> Bucket Type Grease Gun	<input type="checkbox"/> 8
<input type="checkbox"/> Oil Can	<input type="checkbox"/> 9
<input type="checkbox"/> Rotary Barrel Pump	<input type="checkbox"/> 10
<input type="checkbox"/> Lever Pumps	<input type="checkbox"/> 10
<input type="checkbox"/> Accessories	<input type="checkbox"/> 11-16
<input type="checkbox"/> Plastic Measures And Funnels	<input type="checkbox"/> 16-20
<input type="checkbox"/> Linch Pins	<input type="checkbox"/> 21
<input type="checkbox"/> R-Grip	<input type="checkbox"/> 22
<input type="checkbox"/> Clamps	<input type="checkbox"/> 23
<input type="checkbox"/> Grates	<input type="checkbox"/> 24-25



**BESTMANS®**

# GREASE GUN

*.... We Oil The Wheels Of The World*

## Grease Gun Professional with Rigid /Flexible Spout

**Model No: SO-1030**

- ✓ Barrel with 0.049" (1.2 mm) wall thickness
- ✓ Heavy-duty follower spring
- ✓ CNC machined aluminium die-cast head
- ✓ Rolled threads for quick & easy reloading
- ✓ Non slippery barrel with heavy duty knurled body
  - a. 6" (150 mm) steel extension & coupler
  - b. 12" (300 mm) × 0.33" (8.5 mm) flexible hose & coupler
- ✓ Fitted with T – Rod
- ✓ Unique lock lever, locks plunger rod in any position



## Grease Gun High Pressure Steel Head with Rigid /Flexible Spout

**Model No: SO-1019**

- ✓ Steel head construction with 15 Oz capacity
- ✓ Enables 400gms grease cartridge
- ✓ Non slippery barrel with heavy duty knurled body
- ✓ Powder coated finish
- ✓ Provided with fixed spout 6" or with flexible spout
- ✓ Produces pressure of 10000psi
- ✓ Fitted with T – Rod
- ✓ Unique lock lever, locks plunger rod in any position



## Grease Gun with Flexible Spout

**Model No: SO-1022**

- ✓ Steel head construction with 15 Oz capacity
- ✓ Enables 400gms grease cartridge
- ✓ Non slippery barrel with heavy duty knurled body
- ✓ Powder coated finish
- ✓ Produces pressure of 10000psi
- ✓ Fitted with V – Rod
- ✓ Provided with fixed spout 6" and professional coupler
- ✓ Lever handle with rubber grip
- ✓ Unique lock lever, locks plunger rod in any position



# GREASE GUN

*.... We Oil The Wheels Of The World*

## **Lever type grease gun-German type**

**Model No : SO-1012**

- ✓ Steel head construction with 15 Oz capacity
- ✓ Enables 400gms grease cartridge
- ✓ Non slippery barrel with heavy duty knurled body
- ✓ Powder coated finish
- ✓ Provided with fixed spout 6" or with flexible spout
- ✓ Produces pressure of 10000psi
- ✓ Fitted with V – Rod
- ✓ Heavy duty hand lever with easy handle grip



## **Lever type grease gun economy model**

**Model No : SO-1023**

- ✓ Steel head construction with 15 Oz capacity
- ✓ Enables 400gms grease cartridge
- ✓ Non slippery barrel with heavy duty knurled body
- ✓ Powder coated finish
- ✓ Air release achieved through half turn of the head assembly
- ✓ Complete with a choice of 6" (150 mm) steel extension or 12" (300 mm) flexible hose & 4 jaw coupler with ball check
- ✓ Produces pressure of 8000psi
- ✓ Fitted with V – Rod



## **Mini lever type grease gun (Chrome plated /Silver)**

**Model No : SO-1060**

- ✓ Mini Lever Grease Gun with die cast grease gun head
- ✓ Compact Tool Box Size
- ✓ Develops upto 6,000 PSI / 413 BAR, the highest in its class of any mini grease gun
- ✓ Capacity of 3 oz (85 gms) grease cartridge or 120 cc bulk fill
- ✓ 6" steel extension and 4 jaw coupler with ball check



# GREASE GUN

*.... We Oil The Wheels Of The World*

## Lever type grease gun heavy duty (Chrome plated)

**Model No : SO-1090**

- ✓ Aluminium die cast head fitted with automatic air bleeder valve
- ✓ Black powder coated finish
- ✓ Cartridge capacity 14 Oz (400gms)
- ✓ Produces pressure of 6000psi
- ✓ Available in 2 choices
  - a. 6" (150 mm) steel extension & coupler
  - b. 12" (300 mm) × 0.33" (8.5 mm) flexible hose & coupler



## Mini pistol type grease gun Deluxe model 6mm piston

**Model No : SO-112**

- ✓ One hand Pistol grip grease gun with convenient pull type operating mechanism
- ✓ Capacity 3 oz. (85 gms) grease cartridge
- ✓ Available in a choice of black powder coated finish
- ✓ Produces pressure of 3500psi
- ✓ Fitted with T – Rod
- ✓ Pistol grip lever action for easy use
- ✓ 4 Inch crank tube with 4 jaw coupler
- ✓ Top port with flexible hose for greasing in inaccessible areas



## Grease Gun Pistol Type with Fixed or Flexible Spout

**Model No: SO-1024**

- ✓ Suitable for 400gms grease cartridge
- ✓ Non slippery barrel with heavy duty knurled body
- ✓ Powder coated finish
- ✓ Provided with fixed spout 6" or with flexible spout
- ✓ Produces pressure of 3500psi
- ✓ Pressure die casting head
- ✓ Fitted with T – Rod
- ✓ Aluminium die casting head
- ✓ Super strong pistol grid handle
- ✓ Heavy duty follower spring
- ✓ Unique bulk top loader which doubles as an air bleeder
- ✓ One-handed operation , easy to grease hard to reach nipples
- ✓ Short stroke facility boosting pressure up to 3500psi




# GREASE GUN

*.... We Oil The Wheels Of The World*

## Push Type Grease Gun

- Made of steel for oil & grease with M 10x1
- Capacity 100 gm
- Fitted with threaded nozzle for coupler



1. Conical Nozzle Lub **Model No : SO-121**
2. Concave nozzle zerch **Model No : SO-122**
3. Four jaws coupler **Model No : SO-123**
4. Conical nozzle “ZERCH” thread M 10x1 **Model No : SO-125**
5. Conical nozzle “LUB” thread M 10x1 **Model No : SO-126**

## Re-Entering Type Grease Gun

**Model No : SO-124**

Reentering type – Body in plastic and pump in steel with double use nozzle



# GREASE GUN

*.... We Oil The Wheels Of The World*

## Mini Push Type Grease Gun

**Model No: SO-1270**

- 100cc mini push type grease gun made of polypropylene
- Useful for greasing guard



## Double Handle Grease Gun

**Model No: SO-1034**

- Double lever grease gun, complete with 300mm flexible hose with 4 jaw coupler.
- Robust zinc plated lever handle and ergonomic rubber grip for ease of use.
- 1/8" BSPT threads



## Caul King Gun

**Model No: SO-1310**

- Heavy duty metallic skeleton
- Ideal for use with high viscosity caulks
- This product is engineered to be stronger than a standard skeleton gun
- Suitable for 310ml and 400ml tubes
- Colour – as per customer preference




# **BUCKET GREASE PUMP** .... We Oil The Wheels Of The World

## **Hand Operated Bucket Grease Pump**

- Grease bucket 3-20 kg with wheel
- High pressure hand operate portable grease pump
- Generate volume grease where power is not available
- Or where an air operated grease pump can not afforded
- And high pressure grease is required
- Useful for clean greasing of trucks & machinery
- Pump has steel construction with die cast head and solid
- Steel pump chamber
- Comes complete with 2 meter of high pressure hose
- Fitted with accessories

<b>Model No</b>	<b>Capacity</b>
BM-712019	3 KGS
BM-712021	5 KGS
BM-712023	10 KGS
BM-712025	15 KGS
BM-712027	20 KGS

- ✓ Easily portable mounted on wheel
- ✓ Quick and easily to open the cover
- ✓ Adjustable carry handle
- ✓ Lever operated pump mounted on cover of drum
- ✓ 3/8" x 2.2 meter wire braided, oil resistance high pressure hose
- ✓ Removable handle
- ✓ Spring loaded disc is place inside the drum to make
- ✓ Positive pressure or easy pumping of grease
- ✓ Delivery rate 4.50 grams/stock approx.
- ✓ Working pressure up to 5000 psi





# OIL CAN

*.... We Oil The Wheels Of The World*

## Perfetto Type Oil Can

- Heavy gauge , steel dome shaped body with modern design
- Chrome plated thumb lever
- Detachable rigid and flexible spout
- Pump has two ball value for large volume delivery per stroke
- Colour as per order

Model No	Capacity
SO-210201	200 cc
SO-210202	300 cc
SO-210203	400 cc
SO-210204	500 cc
SO-210205	700 cc
SO-210206	1000 cc



## Wesco type oil can

- Heavy gauge, steel body
- Rim having traditional design
- Rim prevents oil from dripping down detachable rigid and flexible spout
- Pump has two ball value for large volume delivery per stroke
- Colour as per order

Model No	Capacity
SO-210216	1/4 Pint
SO-210217	1/2 Pint
SO-210218	3/4 Pint
SO-210219	1 Pint



## Oil Can Plastic Handle

- Dome shaped body with modern design
- Detachable rigid
- Flexible spout pump has two ball value for large volume delivery per stroke
- Colour as per order

Model No	Capacity
SO-210213	200 cc
SO-210214	300 cc
SO-210215	500 cc



## Pistol Type Oil Can

- Heavy gauge, steel body, heavy duty trigger
- Detachable rigid and flexible spout
- Pump has two ball value for large volume delivery per stroke
- Colour as per order

Model No	Capacity
SO-210224	125 cc
SO-210225	150 cc
SO-210226	180 cc



# ROTARY BARREL PUMP *.... We Oil The Wheels Of The World*

## Rotary Barrel Pump

- Heavy duty rotary pump transfers non corrosive fluids of light to medium viscosity
- Seals are made of nitrile rubber
- Suitable up to 55 gallon barrels

Model No	Specification
SO-712022	Hand Rotary Pump 3/4" outlet capacity
SO-712023	Hand Rotary Pump 1" outlet capacity



## Plastic Type Rotary Barrel Pump

Model No: SO-712025

- Plastic Pump 1" outlet capacity for strong acids & chemicals

## Lever Operated Barrel Pump

Model No: SO-1410

- Hand lever actions drum pump
- Delivers up to 0.45 Ltrs. RPM



# ACCESSORIES


*.... We Oil The Wheels Of The World*

## Crack Tubes / Steel Extensions



Model No	Specification
SO-501	6" Bend type rigid spout for grease gun
SO-502	6" Straight type rigid spout
SO-503	12" Bend type rigid spout for grease gun
SO-504	12" Straight rigid spout

## Crack Tubes / Steel Extensions



Model No	Specification
SO-511	8" Nylon braided PVC coated hosepipe
SO-512	12" Nylon braided PVC coated hosepipe
SO-513	15" Nylon braided PVC coated hosepipe
SO-514	18" Nylon braided PVC coated hosepipe
SO-515	24" Nylon braided PVC coated hosepipe

## Adaptor



Model No	Specification
SO-701	1/8" BSP Female/Female
SO-702	Thread 1/4" BSP / 1/8" BSP Female

## Screw Down Lubricators



Model No	Specification
SO-516	Oil Cup no 1 x 1/8" BSP
SO-517	Oil Cup no 2 x 1/4" BSP
SO-518	Oil Cup no 3 x 1/4" BSP

# ACCESSORIES

*.... We Oil The Wheels Of The World*

## Hydraulic Connector Couplers



Model No	Specification
SO-531	Coupler 4 jaw
SO-532	Coupler 3 jaw

## Button Connectors



551



552

Model No	Specification
SO-551	Button head connectors (F) 1/8" BSP Thread M 10x1
SO-552	Button head connectors (M) 1/8" BSP Thread M 10x1

## Hook on Connector



Model No	Specification
SO-553	Hook-on connector 1/8" BSP

## Pin Type Coupler



Model No	Specification
SO-561	Pin Type Coupler

# ACCESSORIES

*.... We Oil The Wheels Of The World*

## Hydraulic grease nipple

### Straight Type

Model No	Specification
SO-571	1/8"NPT
SO-572	1/4" NPT
SO-573	3/8"NPT
SO-574	3/16" Drive Fit
SO-575	1/4" Drive Fit
SO-576	5/16" Drive Fit
SO-577	3/16" BSF
SO-578	1/4"BSF
SO-579	5/16"BSF
SO-580	1/8"BSP
SO-581	1/4"BSP
SO-582	3/8"BSP
SO-583	1/4" UNF
SO-584	5/16"UNF
SO-585	3/8" UNF
SO-586	1/4" Whitworth
SO-587	1/4" Whitworth Long
SO-588	5/16" Whitworth
SO-589	6mm Drive Fit
SO-590	8mm Drive Fit
SO-591	10mm x 1.00
SO-592	10mm x 1.0 long
SO-593	10mm x1.50
SO-594	12mm x 1.75
SO-595	12mm x 0.75
SO-596	5mm x 0.8
SO-597	6mm x 0.75
SO-598	6mm x 1.00
SO-600	8mm x 1.00
SO-611	8mm x 1.25



# ACCESSORIES

*.... We Oil The Wheels Of The World*

## Hydraulic grease nipple

### 90° Angle Type

Model No	Specification
SO- 605	1/8"NPT
SO-606	1/4" NPT
SO-607	1/4"BSF
SO-608	5/16"BSF
SO-609	3/8" BSF
SO-610	10mm x 1.00
SO-611	10mm x 1.50
SO-612	5mm x 0.8
SO-613	6mm x 1.00
SO-614	8mm x 1.00
SO-615	8mm x 1.25
SO-616	1/8" BSP
SO-617	1/4" BSP
SO-618	1/4" UNF
SO-619	5/16" UNF
SO-620	3/8" UNF
SO-621	1/4" Whitworth

### 45° Angle Type

Model No	Specification
SO-625	1/8"NPT
SO-626	1/4" NPT
SO-627	1/4"BSF
SO-628	5/16"BSF
SO-629	3/8" BSF
SO-630	1/8"BSP
SO-631	1/4"BSP
SO-632	1/4" UNF
SO-633	5/16"UNF
SO-634	3/8" UNF
SO-635	1/4" Whitworth
SO-636	5/16" Whitworth
SO-637	10mm x 1.00
SO-638	10mm x1.50
SO-639	10mm x1.50
SO-640	5mm x 0.8
SO-641	6mm x 1.00
SO-642	8mm x 1.00
SO-643	8mm x 1.25



*90° Grease nipple*



*45° Grease nipple*

# ACCESSORIES


## Hook On Grease Nipple

Model No	Specification
SO-651	1/8" BSP 1/2" extension hexagonal
SO-652	1/8" BSP 1" extension hexagonal
SO-653	1/4" BSP 1/2" extension cylindrical
SO-654	1/4" BSP 1" extension cylindrical
SO-655	3/8" BSF 1/2" extension cylindrical
SO-656	1/8" BSP 38 mm extension hexagonal



## Battery Plate Adaptors

Model No	Specification
SO-657	BPA 3/16" Pipe, Max. 10mm Plate
SO-658	BPA 3/16" Pipe, Max. 12mm Plate
SO-659	BPA 6mm Pipe, Max. 12mm Plate
SO-660	BPA 6mm Pipe, Max. 19mm Plate
SO-661	BPA 1/4" Pipe, Max. 12mm Plate
SO-662	BPA 1/4" Pipe, Max. 19mm Plate
SO-663	BPA 3/8" Pipe, Max. 10mm Plate
SO-664	BPA 10mm Pipe, Max. 10mm Plate



## Concave Grease Nipple

Model No	Specification
SO-665	1/4" Drive fit
SO-666	6mm x 1.00
SO-667	8mm x 1.00



## 30MM Grease Nipple

Model No	Specification
SO-668	Height 30mm, conical thread M 6 X 1





# ACCESSORIES

*.... We Oil The Wheels Of The World*

## Nut and Tube Rings

Model No	Specification
SO-671	Nut for 4mm tube
SO-672	Nut for 6mm tube
SO-673	Tube ring for 4mm tube
SO-674	Tube ring for 6mm tube



## Filler Nipples

Model No	Specification
SO-521(A)	1/8" BSPT , 1/8" NPT
SO-522(B)	1/8" BSPT , M 10 X 1
SO-523(C)	1/8" NPT
SO-524(D)	1/8" NPT



# PLASTIC MEASURES & FUNNELS

## Plastic Measures without Lid Made of HDPE

Available in different sizes as below

Model No	Capacity
30201	1 Liter
30202	2 Liter
30203	3 Liter
30204	4 Liter
30205	5 Liter

Colour: as per customer choice



## Plastic Measures with Lid Made of HDPE

Material polypropylene transparent ergonomic handle

Oil and acid resistant break proof and stable

Model No	Capacity
30206	1 Liter
30207	2 Liter
30208	3 Liter
30209	4 Liter
30210	5 Liter

Colour: as per customer choice



## Plastic Measures with Semi-Open cap

Made of HDPE

Model No	Capacity
30215	1 Liter
30216	2 Liter
30217	3 Liter
30218	4 Liter
30219	5 Liter

Colour: as per customer choice



## Battery Acid Fluid Filler

Model No - 30220

Shut-off valve eliminates dripping and overfilling

# PLASTIC MEASURES & FUNNELS

**BESTMANS®**

*.... We Oil The Wheels Of The World*

## Plastic Measuring Jar German Type

Made of HDPE

Available with filter and flexible extension

Model No	Capacity
30303	500 Liter
30304	1000 Liter
30305	2000 Liter
30306	3000 Liter

Colour – as per the customer requirement



## Plastic Measures Taper Made of HDPE

Discharge funnel shaped

German, English and American seal division oil, fuel and acid resistant

Break proof and stable

Model No	Capacity
30301	1.5 Liter
30302	5 Liter

Colour: as per customer choice



## Rectangular Tractor Funnel 12" Made of HDPE

**Model No. 30501**

High overflow rim function as splash guard removable strainer,

Brass straight spout high flow rate

Colour – as per the customer requirement



# PLASTIC MEASURES & FUNNELS

.... We Oil The Wheels Of The World

## Round Funnel Made of HDPE

Funnel with straight spout

With grip tab and integral suspension eye oil, acid and fuel resistant

Available sizes

Model No	Specification
30601	50 mm
30602	75 mm
30603	100 mm
30604	125 mm
30605	150 mm
30606	200 mm
30607	250 mm



Colour - as per customer requirement

## Black Funnel 6" With Handle Made of HDPE With 12" Flexible Hose

Model No. 30701

High overflow rim function as splash guard safe handle

12" flexible hosepipe

Special use in industry and workshop oil, acid and fuel resistant

Ideal for fuel filler pipes of cars with catalyzers

Colour - black, orange and blue



## Round Funnel with Interchangeable Shank and Filter

Model No. 30702

Made of polyethylene

Available with flexible and rigid interchangeable shank and filter



# PLASTIC MEASURES & FUNNELS

**BESTMANS®**

*.... We Oil The Wheels Of The World*

## Offset Funnel

**Model No. 30401**

Made of HDPE

150 mm outer diameter funnel

Polyethylene funnel with rigid elbow shank and filter

Convenient grab handle

Available size : as per customer preference



## Anti Spill Funnels with Filter & Spouts

Made of HDPE

Colour: white or as per the customer requirement

Model No	Specification
30806	150 mm
30809	225 mm



## Plastic Filler with Stainless Steel Mesh

**Model No. 30910**

For anti spill funnels and for 200mm and 250mm funnels



## Stainless Steel Diesel Water Separator Filter

**Model No. 30911**

To be used with rectangular tractor funnels



# LINCH PINS

*.... We Oil The Wheels Of The World*

## Linch Pin with "O" Ring

Code	Specification
J0250	6 mm (1/4")
J0312	8 mm (5/16")
J7500	10 mm
J0437	11 mm (7/16")
J3760	9.5 mm (3/8") dia x 72 mm long pin with 60mm ring



## Safety Linch Pin with "O" Ring

Code	Specification
J7505	9 mm
J3770/SAF	9.5 mm

## Linch Pins with "D" Ring

Code	Specification
J0250D	6 mm (1/4")
J0312D	8 mm (5/16")
J0437D	11 mm (7/16")



## Heavy Duty Tow Bar Pin

Code	Specification
ZPTP16	16 mm dia x 120mm length
ZPTP20	20 mm dia x 172mm length
ZPTP22	22 mm dia x 172mm length
ZPTP24	24 mm dia x 172mm length
ZPTP28	28 mm dia x 172mm length



**Single Coil "R" Grips with Bright Zinc Plate Finish**

Code	Wire Dia	Coil Dia	Length
710021	1.2 mm	4 mm	19 mm
710022	1.50 mm	4 mm	23 mm
710023	1.75 mm	4 mm	30 mm
710024	2.00 mm	10 mm	43 mm
710025	2.50 mm	10 mm	45 mm
710026	3.00 mm	13 mm	54 mm
710027	3.50 mm	17 mm	67 mm
710028	4.00 mm	19 mm	75 mm
710029	5.00 mm	37 mm	107 mm
710030	6.00 mm	31 mm	117 mm
710031	7.00 mm	35 mm	170 mm
710032	8.00 mm	40 mm	150 mm

**Double Coil "R" Grips with Bright Zinc Plate Finish**

Code	Wire Dia	Coil Dia	Length
710033	2.00 mm	10 mm	52 mm
710034	4.00 mm	21 mm	100 mm
710035	5.00 mm	26 mm	130 mm
710036	6.00 mm	29 mm	150 mm
710037	7.00 mm	38 mm	170 mm
710038	8.00 mm	40 mm	150 mm





# CLAMPS

*.... We Oil The Wheels Of The World*



## **Metallic Broom Clamp**

### **Product code:**

- Metal clamp with wing nut
- Zinc plated
- Anti rust
- 1 x clamp, 1 x back plate & 1 x bolt with wing nut & rubber cap



## **Broom Clamp**

### **Product Code:**

- Zinc coated metal with anti rust
- 1 x clamp, 1 x back plate & 1 x bolt with wing nut
- Available with rubber cap



## **Platform stay**

### **Product Code:**

- Metal clamp fixed to stay that is zinc coated and anti rust
- Stay assembled ready for use

# ***FIRE GRATES***

*.... We Oil The Wheels Of The World*

**RT Heavy Bottom Grate Stool No 24. 16"**  
**Model No. 59832**



**RT Bottom Grate Stool No 24. 16"**  
**(Round Bow)**  
**Model No. 59885**



**RT Bottom Grate Stool No 24. 18"**  
**(Round Bow)**  
**Model No. 59886**



**RT HD Bottom Grate Stool No.24 16"**  
**Suits Guard(BG072)**  
**Model No. 60049**



**RT HD Bottom Grate Baxi 16"**  
**Model No. 60050**



# **FIRE GRATES**

*.... We Oil The Wheels Of The World*

**RT Bottom Grate Dunsley Enterprise 16""**  
**Model No. 60039**



**RT Bottom Grate Queen Star 16""**  
**Model No. 60040**



**RT Bottom Grate Round Grant 16""**  
**Model No. 59889**



**RT Bottom Grate To Suit Primrose/ Fern 16""**  
**Model No. 60041**



**Coal Guard To Suit Bg072 & 60049**  
**Model No. FB24B**



**BESTMANS®**

*... We Oil The Wheels Of The World*

**SAYAL**

**OVERSEAS**

E-647, Phase 7,  
Focal Point, Ludhiana,  
Punjab – 141010

☎ Tel: 0091-161-5003274  
📱 Mobile: +91-99151-30128  
✉ Email: [sales@bestman.in](mailto:sales@bestman.in)

